

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("6470332" or "6260039").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:26
L2	42	("20060173873" or "20060020613" or "20050021498" or "20040078368" or "20040059719" or "20030208478" or "20030191781" or "20030172145" or "20030078937" or "200201742225" or "20020059519" or "20020013827" or "7188094" or "6845383" or "6647393" or "6490589" or "6408305" or "6347314" or "6247017" or "6154776" or "20060089925" or "6470332" or "6260039").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:27
L3	2	2 and search\$5 and (((different or multiple) adj5 (servers! or directory)) same (cross or across))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:30
L4	210	((search\$5 or query) with (LDAP or "x.500")) and (((different or multiple) adj5 (servers! or directory or ldap)) same ((search\$6 or quer\$5) or (cross or across)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:32
L5	116	4 and LDAP adj2 (search or query or filter\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:34
L6	138	4 and LDAP adj2 (search or query or filter\$4 or server) and servers!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:36
L7	138	6 and (search\$5 or request\$4 or quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:43
L8	138	6 and (search\$5 or request\$4 or quer\$6) with (ldap or server or directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39

EAST Search History

L9	104	8 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39
L10	102	6 and (search\$5 or request\$4 or quer\$6) with (ldap or server or directory) with (different or multiple or disparat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39
L11	83	10 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39
L12	83	11 and (search\$5 or request\$4 or quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:50
L13	0	11 and (search\$5 or request\$4 or quer\$6) and severs! and directories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:51
L14	0	11 and (search\$5 or request\$4 or quer\$6) and severs! and directories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:51
L15	59	11 and (search\$5 or request\$4 or quer\$6) and (severs! or directories!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("6470332" or "6260039").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:26
L2	42	("20060173873" or "20060020613" or "20050021498" or "20040078368" or "20040059719" or "20030208478" or "20030191781" or "20030172145" or "20030078937" or "200201742225" or "20020059519" or "20020013827" or "7188094" or "6845383" or "6647393" or "6490589" or "6408305" or "6347314" or "6247017" or "6154776" or "20060089925" or "6470332" or "6260039").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:27
L3	2	2 and search\$5 and (((different or multiple) adj5 (servers! or directory)) same (cross or across))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:30
L4	210	((search\$5 or query) with (LDAP or "x.500")) and (((different or multiple) adj5 (servers! or directory or ldap)) same ((search\$6 or quer\$5) or (cross or across)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:32
L5	116	4 and LDAP adj2 (search or query or filter\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 08:34
L6	138	4 and LDAP adj2 (search or query or filter\$4 or server) and servers!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:36
L7	138	6 and (search\$5 or request\$4 or quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:22
L8	138	6 and (search\$5 or request\$4 or quer\$6) with (ldap or server or directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39

EAST Search History

L9	104	8 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:27
L10	102	6 and (search\$5 or request\$4 or quer\$6) with (ldap or server or directory) with (different or multiple or disparat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39
L11	83	10 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:39
L12	83	11 and (search\$5 or request\$4 or quer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:50
L13	0	11 and (search\$5 or request\$4 or quer\$6) and severs! and directories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:51
L14	0	11 and (search\$5 or request\$4 or quer\$6) and severs! and directories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 09:51
L15	59	11 and (search\$5 or request\$4 or quer\$6) and (severs! or directories!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:21
L16	42	(directory adj system adj agent) and ((ldap or directory) adj2 (search or query or filter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:26
L17	36	16 and (search\$5 or request\$4 or quer\$6) same (directories! or servers!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:23
L18	13	16 and (search\$5 or request\$4 or quer\$6) same (directories! or servers!) same (different or disparat\$6 or multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:23

EAST Search History

L19	8	16 and (search\$5 or request\$4 or quer\$6) same (directories! or servers!) same (different or disparat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:26
L20	318	((directory adj system adj agent) or (ldap adj server)) and ((ldap or directory) adj2 (search or query or filter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:26
L21	77	20 and (search\$5 or request\$4 or quer\$6) same (directories! or servers!) same (different or disparat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:29
L22	60	21 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:29
L23	22	20 and (search\$5 or request\$4 or quer\$6) same (directories! or servers!) same (disparat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:33
L24	18	23 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:29
L25	5	((LDAP or "X.500") with (search or query)) and ((search\$5 or request\$4 or quer\$6) same ((directories! or servers!) with disparat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:37

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	77	directory adj shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:44
L2	731	novell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:44
L3	41	2 and ldap and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:49
L4	37	3 and (servers! or directories!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:45
L5	5	4 and shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:50
L6	4901	ldap and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:19
L7	418	6 and shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:50
L8	20	6 and shell with directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:57
L9	0	6 and shell with directory with class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:57

EAST Search History

L10	0	6 and (shell with directory) with (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:58
L11	37	6 and ((script or interface or shell) same directory) with (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:02
L12	12	(shell with directory) with (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 10:58
L13	443	6 and ((script or interface or shell) same directory) and (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:03
L14	255	13 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:24
L15	186	14 and ((script or interface or shell) with directory) and (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:03
L16	30	14 and ((script or shell) with directory) and (class with directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:05
L17	30	16 and (search\$6 or quer\$6 or request\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:06
L18	49	6 and logical adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:20
L19	9	6 and logical adj database same (search\$6 or quer\$6 or request\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:25

EAST Search History

L20	3776	6 and (search\$6 or quer\$6 or request\$6) with (directory or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:23
L21	49	18 and (search\$6 or quer\$6 or request\$6) with (directory or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:24
L22	34	21 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:26
L23	20	21 and ("707"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:24
L24	47	18 and (search\$6 or quer\$6 or request\$6) adj9 (directory or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:25
L25	20	24 and ("707"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:24
L26	30	6 and logical adj database with (server or directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:25
L28	29	26 and (search\$6 or quer\$6 or request\$6) adj9 (directory or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:26
L29	21	28 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 11:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	175	ldap and shell and utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:09
L4	153	1 and ldap and shell and utility and directory and administr\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:20
L5	94	4 and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:26
L6	6	5 and (directory or ldap) same shell same utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:12
L7	25	5 and (directory or ldap) same shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:11
L8	0	5 and (directory near3 ldap) same shell same utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:12
L9	8	5 and (directory near3 ldap) same shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:21
L10	152	1 and ldap and shell and utility and directory and administr\$7 and (search\$6 or query or request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:26
L11	11	10 and (directory near3 ldap) same shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:26

EAST Search History

L12	91341	("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:26
L13	94	12 and ldap and shell and utility and directory and administr\$7 and (search\$6 or query or request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:26
L14	1	13 and (directory or ldap) near9 shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:27
L15	2	13 and (directory or ldap) with shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 12:27

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 10 of about 523 for +ldap +"directory shell". (0.24 seconds)

ONLamp.com -- Top Five Open Source Packages for System Administrators

LDAP directories are logically tree structures, and are typically rooted at a construct ...
home **directory, shell** etc) you can use this for authentication. ...
www.onlamp.com/pub/a/onlamp/2002/10/17/essentialsysadmin.html?page=last - 43k -
[Cached](#) - [Similar pages](#)

kerberos-ldap, comp.security.unix, comp.security.misc

In fact, the goal is that the user authenticates to Kerberos and if the login went well, he gets
his context(home **directory, shell**,...) from the **LDAP** ...
mailman.mit.edu/pipermail/kerberos/2005-March/007357.html - 4k - [Cached](#) - [Similar pages](#)

Migrating Digital Identity Information to Active Directory

These attributes include: UID, GID, home **directory, shell**, and group membership. ... In
addition to migrating user account information, the PADL **LDAP** ...
www.microsoft.com/technet/interopmigration/sag/unix/usecdirw/19wsdsu.mspx - 28k -
[Cached](#) - [Similar pages](#)

Isode M-Vault Server Management Overview

Tclish (Tcl **Directory Shell**) provides a scripting interface onto the X.500 DAP ... Ltclish is
a variant of Tclish which uses **LDAP** instead of X.500 DAP. ...
www.isode.com/products/m-vault-server-management.html - 19k - [Cached](#) - [Similar pages](#)

Use of Tcl/Tk in Isode Management Tools

It can operate over either X.500 DAP or **LDAP**. This multi-protocol behavior is ... Its
implements a programmable **directory shell**, based on a Tcl interpreter. ...
www.isode.com/whitepapers/ic-2034.html - 25k - [Cached](#) - [Similar pages](#)

Re: [exim] LDAP lookup and cocanation

Yeah, I'm sure we could do it all via **LDAP**, but we are all learning it as we ... the same
directory can have valid values for home **directory, shell** etc. for ...
www.exim.org/mail-archives/exim-users/Week-of-Mon-20061127/msg00167.html - 8k -
[Cached](#) - [Similar pages](#)

cpu-ldap(8) - cpu - a user administration tool for LDAP backends ...

The information associated with the user will be used for populating their **LDAP** entry (uid,
gid, gecos, home **directory, shell**). -H hash, --hash=hash Hash ...
swolley.homeip.net/man.cgi/8/cpu-ldap - 113k - [Cached](#) - [Similar pages](#)

Centrify DirectControl Frequently Asked Questions

... UNIX profiles (that is, unique UID, group ID, home **directory, shell**, etc. ... stores data
using non-proprietary conventional **LDAP** data representations, ...
www.centrify.com/directcontrol/faq.asp - 48k - [Cached](#) - [Similar pages](#)

How to enable LDAP authentication on SLES9 or SuSE Linux 10.x

Open the properties of the **LDAP** group object of your server and from the general ... file
has the format: account:password:UID:GID:GECOS:**directory:shell** ...
https://secure-support.novell.com/KanisaPlatform/Publishing/471/3000394_f.SAL_Public.html - 61k - [Cached](#) - [Similar pages](#)

Hyena - New Features

Hyena now provides an easy method of assigning the **LDAP** filter from ... Support for Active **Directory Shell** (MMC) Property Page and Context Menu Extensions ...
www.systemtools.com/hyena/hyena_new.htm - 44k - [Cached](#) - [Similar pages](#)

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results **11 - 20** of about **523** for **+ldap +"directory shell"**. (0.12 seconds)

Search Results Page

How to enable **LDAP** authentication on SLES9 or SuSE Linux 10.x ... Hint: The passwd file has the format: account:password:UID:GID:GECOS:**directory:shell** ...

[www.novell.com/support/dynamickc.do?externalId=3000394&](http://www.novell.com/support/dynamickc.do?externalId=3000394&slid=Sal_Public&command=show&forwar...)

[slid=Sal_Public&command=show&forwar...](#) - 2k - [Cached](#) - [Similar pages](#)

LDAPv3 – Why bother

That will create the following authentication flow. For public information (such as UID, GID, home **directory, shell** etc) login -> NSS -> NSS/LDAP --> **LDAP** ...

www.bayour.com/Implementing_LDAPv3/Implementing_LDAPv34.html - 21k -

[Cached](#) - [Similar pages](#)

Hyena 7.0 Features

Hyena now provides an easy method of assigning the **LDAP** filter from ... Hyena v5.7 can now display the standard Active **Directory shell** context menu ...

www.amtsoftware.com/Hyena/docs/New-Features - 39k - [Cached](#) - [Similar pages](#)

1. Implementation Name and Contact Information Please complete the ...

PMDF-X500 provides DISH (**D**irectory **S**hell) which is >> identical to the DISH used by ...

The **LDAP** server accesses X.500 directory >>information using DAP to ...

www.pmdf.process.com/ldap_survey/vendor/innosoft/sr_pmdf.txt - 15k -

[Cached](#) - [Similar pages](#)

OpenSolaris Forums: **LDAP** (Solaris and Novell) ...

It's required that you have the POSIX schema on your **LDAP** server for ... I.e. login id, uid, gid, home **directory, shell**, gecos (optional). ...

www.opensolaris.org/jive/thread.jspa?threadID=5377&tstart=0 - 68k -

[Cached](#) - [Similar pages](#)

[pam_krb5.5.old Tue Nov 22 17:05:50 2005 +++ pam_krb5.5.new Wed Apr ...](#)

+ + If PAM_USER_INFO is set and self-credentialled **LDAP** is + configured then ... primary
GID, supplementary group GIDs, home + **directory, shell**, project, ...

www.opensolaris.org/os/project/reno/brief/pam_krb5.5.diffs - 22k - [Cached](#) - [Similar pages](#)

Manual Page For chpass(1)

... user's home **directory Shell**: user's login shell NOTE(*) - Historically, ... agents such as **LDAP** servers and flat file databases such as master.passwd. ...

developer.apple.com/documentation/Darwin/Reference/ManPages/man1/chpass.1.html -

15k - [Cached](#) - [Similar pages](#)

Solaris 8 again

It appears that one or other of these has created a /etc/**ldap.conf** file. ... it finally logs in as the new user, with correct home **directory, shell**, etc. ...

osdir.com/ml/ldap.padl.nss/2005-03/msg00011.html - 10k - [Cached](#) - [Similar pages](#)

Chapter 7. Unified Name Service

login:password:uid:gid:gecos:**directory:shell** ... The **LDAP** protocol library converts local name service requests into remote **LDAP** protocol packets, ...

freon.chem.swin.edu.au/library/SGI_bookshelves/

SGI_Admin/books/IA_NetwkMail/sgi_html/ch07.html - 51k - [Cached](#) - [Similar pages](#)

Linux: PAM LDAP in practice

Location of the user's home **directory?** Shell selection? ... without the User information returned by **LDAP** containing a list of the Secondary Groups to which ...
www.experts-exchange.com/OS/Linux/Q_22099286.html - 53k - Apr 19, 2007 -
[Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**

Results 21 - 30 of about 523 for +ldap +"directory shell". (0.20 seconds)

Architectural Overview of UNIX and Windows Authentication and ...

account:password:UID:GID:GECOS:directory:shell ... Using **LDAP** as a naming service on UNIX and Linux systems provides the following advantages: ...

www.microsoft.com/technet/interopmigration/sag/unix/usecdirw/14wsdsu.mspx - 136k -

[Cached](#) - [Similar pages](#)

Apparatus and method for integrating multiple delegate directory ...

... the server further includes a **directory shell** interface to the directory. ... The **LDAP** daemon process 105 may be used to service directory requests ...

www.freepatentsonline.com/5758343.html - 45k - [Cached](#) - [Similar pages](#)

Windows XP Operating System: USB pen drive - Drive shell extension ...

Interbase / Firebird; FoxPro; Reporting; **LDAP**; Filemaker Pro; MS SQL Server; dBase ...
[HKEY_CLASSES_ROOT\Directory\shell\find\ddeexec\application] ...

www.experts-exchange.com/OS/Microsoft/Operating_Systems/Windows/XP/Q_22107851.html - 88k - Apr 19, 2007 -

[Cached](#) - [Similar pages](#)

pcs:aerolinux - Physics Support Wiki, University of Illinois at ...

Total of seven linux/solaris servers (excludes backup **ldap** servers) ... out how to configure **LDAP** for multiple departments (home **directory/shell/suffix**) ...

<https://w3.physics.uiuc.edu/physwiki/doku.php?id=pcs:aerolinux> - 20k -

[Cached](#) - [Similar pages](#)

Computer Account Administrator Job Opportunity, Lawrence Berkeley ...

NT Administration, Novell Administration, UNIX Administration, Active **Directory, Shell** scripting, PERL, HTML, Cyber security, IMAP, SMTP, **LDAP**. ...

www.lbl.gov/CS/Careers/ClosedJobs/IT15745.html - 7k - [Cached](#) - [Similar pages](#)

Login Process

account:password:UID,GID,GECOS:directory:shell. where the fields are defined as:

account - The user's name. password - The users encrypted password or a ...

www.comptechdoc.org/os/linux/howlinuxworks/linux_hlogin.html - 19k -

[Cached](#) - [Similar pages](#)

Joho the Blog: Flying Risks

... Public-Key limitations: Shell **directory: Shell** the of many Size the The client ... Support Revocation the "Viewing O Profile Remote , Desktop **LDAP** OK ...

www.hyperorg.com/blogger/mtarchive/001262.html - 27k - [Cached](#) - [Similar pages](#)

Using Samba as a PDC | Linux Magazine

... with Microsoft's Active Directory Services using **LDAP** and Kerberos authentication ...

There is no need for a home **directory, shell**, or password. ...

www.linux-mag.com/id/969/ - 59k - [Cached](#) - [Similar pages](#)

Computing Services - BNL Physics Computing

Physics SC offers an **LDAP** server for storing user account information (home **directory, shell**, etc) and for authentication (passwd, shadow). ...

www.phy.bnl.gov/computing/index.php/Computing_Services - 14k - [Cached](#) - [Similar pages](#)

master yooou have bugs be careful;)<br ...
Support for Active **Directory Shell** (MMC) Property Page and Context Menu Extensions ...
objects are handled entirely by **LDAP** queries to Active Directory. ...
www.softwareselfdistribution.com/files/productsFeatures.asp?ID=69&page=_features - 74k
- [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google